

NUCLEO RADIATORE OLIO

Siamo in grado di produrre anime per radiatori dell'olio per adattarsi a qualsiasi applicazione. Non ci sono dimensioni minime, quindi sia che si tratti di dispositivi di raffreddamento dei freni o di raffreddamento della trasmissione necessari, puoi contare su di noi per avere una soluzione adatta alle tue esigenze. Contattateci oggi per ulteriori domande oppure inviaci una mail.

in questa pagina troverete tutti i dettagli per poter realizzare il vostro nucleo olio su misura, in base alle esigenze del vostro motore e dei vostri spazi. Di seguito sono elencati tutti i dettagli e spessori realizzabili



OIL COOLER CORE

Customized oil cooling solutions

We are able to produce cores for oil coolers to adapt to any application. There are no minimum dimensions, so whether it is the necessary brake coolers or transmission coolers, you can count on us to have a solution that suits your needs. Contact us today for further questions or send us an email.

on this page you will find all the details to be able to create your customized oil core, based on the needs of your engine and your spaces. All the details and thicknesses that can be made are listed below



Nuclei radiatori olio a fila singola

- *Tubo da 27,66 mm x 3,19 mm / Disponibile con altezza pinna orlata 7 mm.*
- *Tubo da 30 mm x 4 mm / Disponibile con altezza pinne 6 mm / 7 mm / 8 mm / 10 mm.*
- *Tubo 46mm x 4mm / Disponibile con altezza pinne 8mm.*
- *Tubo 60mm x 4mm / Disponibile con altezza pinne 8mm.*
-

Nuclei radiatore olio doppia fila

- *Tubo da 60 mm x 3,19 mm / Disponibile con altezza pinna 7 mm / altezza pinna 10 mm.*
- *Tubo da 64 mm x 4 mm / Disponibile con altezza pinne 6 mm / 7 mm / 8 mm / 10 mm.*
- *Tubo 66mm x 4mm / Disponibile con altezza pinna 7mm.*
- *Tubo da 82 mm x 4,3 mm / Disponibile con altezza pinna 7 mm / 10 mm.*
- *Tubo 84mm x 4.3mm / Disponibile con altezza pinna 7mm.*
- *88 mm x 4,3 mm tubo / Disponibile con altezza pinna 7 mm.*
- *Tubo da 90 mm x 4,3 mm / Disponibile con altezza pinna 10 mm.*
- *Tubo da 90 mm x 4 mm / Disponibile con altezza pinne 8 mm.*
- *Tubo da 100 mm x 4 mm / Disponibile con altezza pinne 8 mm.*
- *Tubo 105mm x 4mm / Disponibile con altezza pinne 8mm.*
- *Tubo 110mm x 4mm / Disponibile con altezza pinne 8mm.*
- *Tubo da 120 mm x 4 mm / Disponibile con altezza pinne 8 mm.*

Nuclei single row oil coolers

- 27.66mm x 3.19mm tube / Available with 7mm hemmed fin height.
- 30mm x 4mm tube / Available with fin height 6mm / 7mm / 8mm / 10mm.
- 46mm x 4mm tube / Available with 8mm fin height.
- 60mm x 4mm tube / Available with 8mm fin height.
-

Double row oil cooler cores

- 60 mm x 3.19 mm tube / Available with fin height 7 mm / fin height 10 mm.
- 64mm x 4mm tube / Available with fin height 6mm / 7mm / 8mm / 10mm.
- 66mm x 4mm tube / Available with 7mm fin height.
- 82 mm x 4.3 mm tube / Available with fin height 7 mm / 10 mm.
- 84mm x 4.3mm tube / Available with 7mm fin height.
- 88 mm x 4.3 mm tube / Available with 7 mm fin height.
- 90mm x 4.3mm tube / Available with 10mm fin height.
- 90mm x 4mm tube / Available with 8mm fin height.
- 100mm x 4mm tube / Available with 8mm fin height.
- 105mm x 4mm tube / Available with 8mm fin height.
- 110mm x 4mm tube / Available with 8mm fin height.
- 120mm x 4mm tube / Available with 8mm fin height.